



Polaris

OR-K-PR1

The Planetary line of Orbital Express Truss™ features over 40 professionally designed “off-the-shelf” kits for a variety of booth sizes and configurations. Each kit comes complete with all the parts, fixtures and fittings you need to create a successful exhibit, including (depending on the kit) low voltage spotlights and adjustable tabletops. A benefit to this versatile system is that it enables you to reconfigure kits in multiple ways and combinations using the same parts. Orbital Express Truss can also be easily customized!



We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

features and benefits:

- Kit includes:
 - 16 x 6-way junction boxes
 - 6 x 24" straight truss lengths
 - 8 x 36" straight truss lengths
 - 12 x 46" straight truss lengths
 - 6 x 90° curved truss lengths
 - 1 x full set of quicklock connectors
 - 4 x adjustable tabletops
 - 5 x 50 watt spotlights
 - 1 x OCF2 molded case
 - 1 x OCT molded case
- 10' x 20' kit size
- Custom appearance
- Toolless assembly
- Simple twist and lock design
- 5 year warranty against manufacturer defects

dimensions:

Hardware:

Fits in a 10' x 20' space

Shipping:

1 OCF2 case:
51"l x 51"w x 24"h
1295mm(l) x 1295mm(w) x 610mm(h)

1 OCT case:
50"l x 47"w x 43"h
1270mm(l) x 1194mm(w) x 1092mm(h)

Approximate weight: 760 lbs / 345 kg

Graphics:

- Panels PR1 & PR5:**
Total visual area: 49"w x 83.75"h
- Panels PR2 & PR4:**
Total visual area: 47.75"w x 83.75"h
- Panels PR3:**
Total visual area: 49.75"w x 83.75"h
- Panels PR6:**
Total visual area: 94.5"w x 6"h

*All dimensions available in millimeters
Please be sure to include a 2" bleed around perimeter.
































Refer to related graphic template for specific information on sizes and bleeds. Dye-sublimated graphic require different bleed than UV.

Visit exhibitors-handbook.com/graphic-templates


additional information:

- Graphic materials:
Dye sublimated or UV panels
- Lumina 5, 50 watt spotlight
- Kit does not include monitor or monitor mount
- Tabletop color options: (if applicable)
 -  silver
 -  black
 -  mahogany
 -  natural


POLARIS PIECE COUNT:

 OR-J-3 16	 OR-24-2 6	 OR-36-2 8	 OR-45-CV-3 0	 OR-B90 0
 OR-J-DBL 0	 OR-30-2 0	 OR-46-2 14	 OR-90-CV-2 6	 OR-B90A 0
 OR-B45 0	 OR-QL-T2J 44	 OR-UC-QL 0	 OR-LCD1-B 0	 OR-LCD3-B 0
 OR-TOOL-B 1	 OR-QL-T2T 15	 OR-STG 0	 OR-LCD2-B 0	
 SPOTLIGHT 5	 OR-TBL2-L 0	 OR-IS-24 0	 OR-CIS-90 0	 OR-CIS-45 0
 OR-TBL 4	 OR-TBL2-R 0	 OR-IS-36 0	 OR-SE-IS-90 0	 OR-ATL-CNTR 0
		 OR-IS-46 0		
		 OR-IS-48 0		


POLARIS TABLETOP ACCESSORY PIECE COUNT:



POLARIS CASE COUNT:



POLARIS GRAPHIC SPECS:



To ensure quality, please note:


Each graphic has a specific code or number located on the graphic. The electronic print files provided must be named accordingly. Using this coding system will allow us to preflight and prepare your files for print more efficiently. **If you fail to provide your graphic files in this format, additional charges may be necessary to complete your printed materials.**

POLARIS FLOOR PLAN:

SCALE REF = 5ft



10' d X 20' w Inline



POLARIS COLOR CODED PARTS:

